


TÜRASAS ESKİŞEHİR	TEKNİK BİLGİ	T.B.6323																																																																																																																																					
		Tadilat	E	F	G																																																																																																																																		
		Tarih	05.06.06	02.03.11	16.03.21																																																																																																																																		
		İmza	UK	DİF 9051 UK	E.5841 FD																																																																																																																																		
<b>KONU:</b> Kablo Kelepçeleri ( GM tipi lokomotifler için )																																																																																																																																							
<b>REFERANS:</b>																																																																																																																																							
<table border="1"><thead><tr><th>SIRA NO</th><th>RESİM NO</th><th>REV</th><th>Rev.Tarihi</th><th>AÇIKLAMALAR</th></tr></thead><tbody><tr><td>1</td><td>8238225</td><td></td><td></td><td></td></tr><tr><td>2</td><td>8447561</td><td></td><td></td><td></td></tr><tr><td>3</td><td>8447562</td><td></td><td></td><td></td></tr><tr><td>4</td><td>8447563</td><td></td><td></td><td></td></tr><tr><td>5</td><td>9518654</td><td></td><td></td><td></td></tr><tr><td>6</td><td>9518656</td><td></td><td></td><td></td></tr><tr><td>7</td><td>9518657</td><td></td><td></td><td></td></tr><tr><td>8</td><td>9518659</td><td></td><td></td><td></td></tr><tr><td>9</td><td>9518661</td><td></td><td></td><td></td></tr><tr><td>10</td><td>8346389</td><td></td><td></td><td></td></tr><tr><td>11</td><td>8368678</td><td></td><td></td><td></td></tr><tr><td>12</td><td>8368684</td><td></td><td></td><td></td></tr><tr><td>13</td><td>8435393</td><td>A</td><td>02.03.2005</td><td></td></tr><tr><td>14</td><td>8473241</td><td></td><td></td><td></td></tr><tr><td>15</td><td>9518655</td><td></td><td></td><td></td></tr><tr><td>16</td><td>8454785</td><td></td><td></td><td></td></tr><tr><td>17</td><td>9508493</td><td></td><td></td><td></td></tr><tr><td>18</td><td>9507655</td><td></td><td></td><td></td></tr><tr><td>19</td><td>9507656</td><td></td><td></td><td></td></tr><tr><td>20</td><td>9518986</td><td></td><td></td><td></td></tr><tr><td>21</td><td>9518987</td><td></td><td></td><td></td></tr><tr><td>22</td><td>_____</td><td></td><td></td><td>Numuneden çizildi</td></tr><tr><td>23</td><td>40053181</td><td>A</td><td>02.03.2011</td><td></td></tr><tr><td>24</td><td></td><td></td><td></td><td></td></tr><tr><td>25</td><td></td><td></td><td></td><td></td></tr></tbody></table>						SIRA NO	RESİM NO	REV	Rev.Tarihi	AÇIKLAMALAR	1	8238225				2	8447561				3	8447562				4	8447563				5	9518654				6	9518656				7	9518657				8	9518659				9	9518661				10	8346389				11	8368678				12	8368684				13	8435393	A	02.03.2005		14	8473241				15	9518655				16	8454785				17	9508493				18	9507655				19	9507656				20	9518986				21	9518987				22	_____			Numuneden çizildi	23	40053181	A	02.03.2011		24					25				
SIRA NO	RESİM NO	REV	Rev.Tarihi	AÇIKLAMALAR																																																																																																																																			
1	8238225																																																																																																																																						
2	8447561																																																																																																																																						
3	8447562																																																																																																																																						
4	8447563																																																																																																																																						
5	9518654																																																																																																																																						
6	9518656																																																																																																																																						
7	9518657																																																																																																																																						
8	9518659																																																																																																																																						
9	9518661																																																																																																																																						
10	8346389																																																																																																																																						
11	8368678																																																																																																																																						
12	8368684																																																																																																																																						
13	8435393	A	02.03.2005																																																																																																																																				
14	8473241																																																																																																																																						
15	9518655																																																																																																																																						
16	8454785																																																																																																																																						
17	9508493																																																																																																																																						
18	9507655																																																																																																																																						
19	9507656																																																																																																																																						
20	9518986																																																																																																																																						
21	9518987																																																																																																																																						
22	_____			Numuneden çizildi																																																																																																																																			
23	40053181	A	02.03.2011																																																																																																																																				
24																																																																																																																																							
25																																																																																																																																							
<p>G-) Tüm sayfalarda Türasaş Anteti değiştirildi. 16.03.2021 F-) Sıra No 23 rev.A oldu. 02.03.2011 E-) Sıra No 23 ilave edildi. 05.06.2006 D-) Sıra No 22 ilave edildi. 30.09.2005 C-) Sıra No 13 rev.A oldu. 02.03.2005 B-) Sıra no 16-21 ilave edildi. 24.12.2004</p>																																																																																																																																							
Hazırlayan:	ÜRÜN AR-GE /Çeken Araç.Prj.Md	Tarih:	23.02.2004	Sayfa	0																																																																																																																																		

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 8238225

Malzeme : Neopren Kauçuk

Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^{\circ}$  C

Çekme Mukavemeti : 15 Mpa

Test Voltajı :  $\text{cm}^2$  'ye 7000 V AC

Hazırlayan:

ÜRÜN AR-GE /Çeken Araç.Prj.Md

Tarih:


23.02.2004

Sayfa

1


ÜRA F.006

REV:00

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 8447561**Malzeme :** Neopren Kauçuk**Sertlik :** 80 ± 5 Shore**Isı Direnci :** 100° C**Çekme Mukavemeti :** 15 Mpa**Test Voltajı :** cm<sup>2</sup> 'ye 7000 V AC**Hazırlayan:****ÜRÜN AR-GE / Çeken Araç.Prj.Md.****Tarih:****23.02.2004****Sayfa****2**

**KONU:** Kablo Kelepçeleri ( DE 33000 )

**REFERANS: 8447562**



Malzeme : Neopren Kauçuk

Sertlik :  $80 \pm 5$  Shore


Is1 Direnci : 100° C

**Çekme Mukavemeti : 15 Mpa**

Test Voltajı : cm<sup>2</sup> 'ye 7000 V AC

KONU: Kablo Kelepçeleri ( DE 33000 )

REFERANS: 8447563



Malzeme : Neopren Kauçuk

Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^{\circ}$  C

Çekme Mukavemeti : 15 Mpa

Test Voltajı :  $\text{cm}^2$  'ye 7000 V AC

Hazırlayan:

ÜRÜN AR-GE /Çeken Araç.Prj.Md.

Tarih:


23.02.2004


Sayfa


4

ÜRA F.006


REV:00

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 9518654**Malzeme :** Neopren Kauçuk**Sertlik :**  $80 \pm 5$  Shore**Isı Direnci :**  $100^{\circ}$  C**Çekme Mukavemeti :** 15 Mpa**Test Voltajı :**  $\text{cm}^2$  'ye 7000 V AC

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 9518656**Malzeme : Neopren Kauçuk****Sertlik : 80 ± 5 Shore****Isı Direnci : 100° C****Çekme Mukavemeti : 15 Mpa****Test Voltajı : cm<sup>2</sup> 'ye 7000 V AC****Hazırlayan:****ÜRÜN AR-GE /Çeken Araç.Prj.Md.****Tarih:****23.02.2004****Sayfa****6**

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 9518657

Malzeme : Neopren Kauçuk  
Sertlik :  $80 \pm 5$  Shore  
Isı Direnci :  $100^{\circ} \text{C}$   
Çekme Mukavemeti : 15 Mpa  
Test Voltajı :  $\text{cm}^2$ 'ye 7000 V AC


**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 9518659


Malzeme : Neopren Kauçuk

Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^{\circ}$  C

Çekme Mukavemeti : 15 Mpa

Test Voltajı :  $\text{cm}^2$  'ye 7000 V AC

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 9518661**Malzeme : Neopren Kauçuk****Sertlik : 80 ± 5 Shore****Isı Direnci : 100° C****Çekme Mukavemeti : 15 Mpa****Test Voltajı : cm<sup>2</sup> 'ye 7000 V AC**


**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 8346389

Malzeme : Neopren Kauçuk

Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^{\circ}$  C

Çekme Mukavemeti : 15 Mpa

Test Voltajı :  $\text{cm}^2$  'ye 7000 V AC


**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 8368678


Malzeme : Neopren Kauçuk

Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^{\circ}$  C


Çekme Mukavemeti : 15 Mpa


Test Voltajı :  $\text{cm}^2$  'ye 7000 V AC


**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 8368684**Malzeme :** Neopren Kauçuk**Sertlik :**  $80 \pm 5$  Shore**Isı Direnci :**  $100^{\circ}$  C**Çekme Mukavemeti :** 15 Mpa**Test Voltajı :**  $\text{cm}^2$  'ye 7000 V AC

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 8435393**Malzeme :** Neopren Kauçuk**Sertlik :**  $80 \pm 5$  Shore**Isı Direnci :**  $100^{\circ}$  C**Çekme Mukavemeti :** 15 Mpa**Test Voltajı :**  $\text{cm}^2$  'ye 7000 V AC

A-) Ölçü değiştirildi. 02.03.2005


**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 8473241**Malzeme :** Neopren Kauçuk**Sertlik :**  $80 \pm 5$  Shore**Isı Direnci :**  $100^{\circ} \text{C}$ **Çekme Mukavemeti :** 15 Mpa**Test Voltajı :**  $\text{cm}^2$  'ye 7000 V AC

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 9518655**Malzeme :** Neopren Kauçuk**Sertlik :**  $80 \pm 5$  Shore**Isı Direnci :**  $100^{\circ}$  C**Çekme Mukavemeti :** 15 Mpa**Test Voltajı :** cm<sup>2</sup> 'ye 7000 V AC

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 8454785**Malzeme : Neopren Kauçuk****Sertlik :  $80 \pm 5$  Shore****Isı Direnci :  $100^{\circ}$  C****Çekme Mukavemeti : 15 Mpa****Test Voltajı :  $\text{cm}^2$  'ye 7000 V AC**

KONU: Kablo Kelepçeleri ( DE 33000 )

REFERANS: 9508493




Malzeme : Neopren Kauçuk

Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^{\circ}$  C

Çekme Mukavemeti : 15 Mpa

Test Voltajı :  $\text{cm}^2$ 'ye 7000 V AC

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 9507655

Malzeme : Neopren Kauçuk


Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^\circ \text{C}$ 

Çekme Mukavemeti : 15 MPa

Test Voltajı :  $\text{cm}^2$  'ye 7000 V AC

KONU: Kablo Kelepçeleri ( DE 33000 )

REFERANS: 9507656



Malzeme : Neopren Kauçuk


Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^\circ \text{C}$ 

Çekme Mukavemeti : 15 Mpa

Test Voltajı :  $\text{cm}^2$ 'ye 7000 V AC

KONU: Kablo Kelepçeleri ( DE 33000 )

REFERANS: 9518986




Malzeme : Neopren Kauçuk

Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^{\circ} \text{C}$ 

Çekme Mukavemeti : 15 Mpa

Test Voltajı :  $\text{cm}^2$ 'ye 7000 V AC

**KONU:** Kablo Kelepçeleri ( DE 33000 )**REFERANS:** 9518987

Malzeme : Neopren Kauçuk

Sertlik :  $80 \pm 5$  ShoreIsı Direnci :  $100^\circ \text{C}$ 

Çekme Mukavemeti : 15 Mpa

Test Voltajı :  $\text{cm}^2$ 'ye 7000 V AC

